

RHBROWN.COM

BUILDING RELATIONSHIPS FOR OVER 110 YEARS

SEATTLE 206.624.3100

PORTLAND 503.287.7028



TABLE OF CONTENTS

CASTERS

- 4-5 Specialty Casters
- 6 Light Duty Casters
- 7 Medium Duty Casters
- 8 Heavy Duty Casters
- 9 Extra Heavy Duty Casters

HAND TRUCKS

- 10 Aluminum Hand Trucks
- 11 Build Your Own Hand Truck
- 11 Replacment Wheels
- 12 Top Selling Hand Trucks
- 13 Convertible Hand Trucks & Ladders

CARTS

- 14 Wood Deck Platform Carts
- 14 Aluminum & Steel Deck Platform Carts
- 14 Sheet Rock & Panel Mover Carts
- 14 Tilt Trucks Carts
- 15 Stock Carts

DOLLIES

- 15 Economy Dollies
- 15 Carpeted Dollies & Piano Dollies

PALLET JACKS

16 Pallet Jacks & Pallet Stackers

LIFT EQUIPMENT

17 Scissor Lifts, Pallet Pals, LiftPlus

WORK PLATFORMS & SHELVING

- 18 Work Platforms, Mezzanine
- 18 Shelving & Metal Shelving

PALLET RACK SYSTEMS & STORAGE

- 19 Pallet Rack & Storage Solutions
- 19 Pallet Rack & Warehouse Safety

CONVEYOR

- 20 Gravity, Skatewheel
- 20 Steel Roller
- 20 Flexible Conveyor

POWER CONVEYOR

- 21 Belt Conveyor
- 21 Roller Conveyor
- 21 Incline Conveyor
- 21 Zero Pressure Accumulation
- 21 e24 Conveyor



EXPERIENCE THE RHB ADVANTAGE

MAXIMIZE YOUR MATERIAL HANDLING INVESTMENT WITH OUR EXPERTISE

SOLUTIONS

Performance Durability Service

CAPABILITIES

Application Review Global Sourcing Local Availability

EXPERTISE

Experience Knowledge Results

SEATTLE / 206.624.3100 PORTLAND / 503.287.7028

AVAILABLE 24/7 WWW.RHBROWN.COM

MOVING MATERIALS? We offer equipment and solutions



Got the goods? We can help you move them.

When you're making material handling decisions, make them with RH Brown.

CALL TODAY 206-624-3100 / Seattle 503-287-7028 / Portland 800-426-9806 / Everywhere Else

INDUSTRIAL MATERIAL HANDLING // EQUIPMENT & SOLUTIONS

SYSTEMS MATERIAL HANDLING // AUTOMATION, INTEGRATION & STORAGE

24 x 7 at rhbrown.com

SPECIALTY CASTERS & APPLICATIONS

WHEEL AND CASTER SOLUTIONS

Finding the right solution to get your materials moving is as easy as calling 1-800-426-9806.

IF YOU NEED:

- Mobility
- **Ergonomics**
- Improved Productivity
- Value Engineered Solutions
- Flexible Price Points

RHB OFFERS:

- Application Review
- **Engineered Solutions**
- Global Sourcing
- Large Inventory
- **Custom Designs**

Take the mystery out of your material handling questions. CALL 1-800-426-9806 or START ONLINE at RHBROWN.COM/GO

AVAILABLE ONLINE

Download 3D CAD Models!



Use Colson's 3D CAD online modeling tool to build casters to spec, request a quote, or drop your custom model right into your design.

Visit colsoncaster.com/products/3dmodels or contact R.H. Brown at 1.800.426.9806

Leveling Casters

Perfect in a broad range of institutional and commercial applications. They solve the problem of delicate computer and medical equipment requiring a stable platform or to level heavy industrial tables, display cases, furniture, and much more, while retaining the ability to roll the unit.

MODEL GD-60S

- · Plain Bore Bearing
- · Leveling Pad Brake
- 1 1/8" Adjustment
- · 550 lbs. Dynamic Capacity



Air Cargo Casters

Designed to take the heaviest blows from all types of cargo containers with the highest rated impact resistance in the air cargo industry, even under the most extreme conditions. Ideal for airline and aerospace indutry applications, light duty cargo handling, textile industry applications, conveyor applications, freight handling and cargo conveyor equipment.

MODEL RHB-ACC

- 2 3/4" Dia. x 1 3/4" W
- · 4" Overall Height
- · 145mm Toe Guard (not shown)
- · 450 lbs. Dynamic Capacity

■ Swivel-Eaz® Casters

Swivel-EAZ® wheels are designed to reduce turning and rolling resistance on swivel, rigid, and fixed axle systems. The Swivel-EAZ® wheels also carry twice the load of standard size wheels with similar tread hardness. With 10 years in service the Swivel-EAZ® wheels alone have shown a minimum 35-50% reduction in push pull.

MODEL 6.06279.SWE-620-CRN-75D

- 6" Dia. x 2" W Swivel
- 2-1/2" Hub Length
- Black
- · 1800 lbs. Capacity



High Temp Casters

High quality and extremely resistant to high temperatures. This is the most common wheel used for bakery and bread industry use. Features high load capacity, FDA food grade certified, and maintenance free.

MODEL 2.04756.MTW100HD

- 4" Dia. x 1-1/4" W Swivel
- -40 Deg. F +572 Deg. F Continuous
- · 300 lbs. Capacity

▶ Spring Loaded Gate Caster

Designed specifically for use on gates and sliding or rotating doors. It provides a shock absorbing ride over uneven ground, the compression spring helps support the weight of the gate/door to assist in keeping it even and level.

MODEL QSL-405-TD

- 5" Dia x 2" W
- 11" x 4" Plate
- · 4.25" Swivel Radius
- · 400 lbs. Capacity

MedCaster NG Series Casters

A precision sealed ball bearing raceway design for long lasting, smooth, quiet, maintenance free ride. Precision ball bearings are insert molded into the swivel raceway. This design allows capacity to be similar to or in some cases greater than metal casters.

MODEL NG-05QDP-125-TL-TP01

- 5" Dia. x 1-1/4" W TPR Wheel
- · Nylon Top Plate (not shown) 2-1/2" x 3-5/8"
- · 300 lbs. Capacity

Heavy Duty Shock **Absorbing Stem Casters**

Designed specifically for use in Aerospace applications It provides a shock absorbing ride over uneven ground, the compression spring helps support the weight to assist in keeping the equipment even and level.

MODEL RHB-HDSASC

- · Custom Mounting
- Spring Loaded
- Tapered Roller Bearing
- 1600 lbs. Dynamic Capacity

Light Duty Shock **Absorbing Plate Casters**

Designed for use in medical equipment, clean room and automotive applications They provide a shock absorbing ride over uneven ground, the compression spring helps support the weight to assist in keeping the equipment even and level.

MODEL GDS-100-ARS-LUD

- · 100mm Dia. x 30mm W Swivel
- 73mm x 73mm Top Plate
- · Poly on Aluminum Core Wheel
- · 100 kg. Capacity

Pneumatic Casters

Air filled inner-tube and tire mounted on a heavy-duty metal rim. Applications include: various carts, platform trucks and equipment used in industrial, commercial, institutional and outdoor environments where a cushioned ride and the ability to roll over uneven floors and debris is

MODEL PNEU 10" SWIVEL

- 10" Dia. x 3-1/2" W Swivel
- 4" x 4-1/2" Standard Top Plate
- Pneumatic 4*-Plv
- · 350 lbs. Capacity





SPECIALTY CASTERS & APPLICATIONS

HAVE A QUESTION?

Check out **rhbrown.com** or call 800.426.9806

▶ Aerospace Caster

NEW. High-capacity, rounded blue wheel offers top ergonomic performance with reduced push-pull force.

MODEL 512057

- 1000 lbs capacity
- · Reduced push/pull force
- 5" x 2" rigid
- 5" x 2" swivel w/ total lock brake
- Wheel is rounded blue poly on aluminum



▶ Aerospace Spring Loaded Caster

NEW. Aerospace Heavy Services Series are spring loaded casters that reduce noise, protect cargo, and extend caster, wheel and bearing life.

MODEL S-AEZFHS-5NYB-2

- 1645 lbs capacity
- · Precision Ball Bearing
- 5" x 2" Nylast wheel
- · Rated high rollability
- High moisture and chemical resistance



▶ V-Groove Rigid Caster

V-Groove casters are increasingly being used on industrial carts, containers, racks and other equipment where direction control is desirable.

MODEL R-526-V

- · Load Capacity: 900 lbs.
- Wheel: 6" Dia. x 2" V-Groove wheel with 3/4" Straight Roller Bearing
- Overall Height: 7.5"
- Temp Range: -30 320 F
- · Medium Chemical Resistance
- · Wheel color: Red



Extra Heavy Duty Dual Wheel

Dual wheel casters address the problem of how to minimize overall height and maximize load capacity while also offering improved stability.

SERIES EHD2

- 3,600 7,000 lbs.
- · 10 different wheel choices
- · Swivel or rigid
- Options for brakes, swivel lock, and toe guard
- 3 year warranty for qualifying wheels.



SELF-LEVELING

SHOCK ABSORBING

HIGH-TEMP

LOW-NOISE

DURABLE

HEAVY DUTY

ERGONOMIC

FIND YOUR CASTERS

PNUFMATIC

CORRISION-RESISTANT

NON-MARKING

EXTREME TEMP

STAINLESS STEEL

RHB ADVANTAGE
WORK WITH AN EXPERT

SEATTLE 206-624-3100 PORTLAND 503-287-7028 INFO@RHBROWN.COM WWW.RHBROWN.COM

CASTERS - LIGHT DUTY

▶ MedCaster Plate Casters up to 175 lbs. Capacity

Chrome NeoTeq casters are designed to provide your equipment with a smooth and quiet roll. Applications include: laboratory equipment, IV stands, mobile computer stands, medical equipment and more.

DIA.	LOAD	MATERIAL	SWIVEL	PRICE	BRAKE	PRICE
2"	125 lbs.	Neoprene Rubber	430015		430025	
3"	175 lbs.	Neoprene Rubber	430030		430035	




▶ Colson Plate Casters up to 145 lbs. Capacity

Used for light duty dollies, carts and fixtures. Standard features include zinc plated finish, full double ball hardened raceways, 5/16" shouldered axle with 1/4" nut, and non-marking wheels. All wheels made with Performa Rubber.

DIA.xWIDTH	HEIGHT	LOAD	SWIVEL	PRICE	RIGID	PRICE						
SMALL TOP P	SMALL TOP PLATE											
1-5/8" x 7/8"	2-9/16"	60 lbs.	1.01666.441		1.01610.441							
2" x 7/8"	2-3/4"	75 lbs.	1.02266.441		1.02210.441							
LARGE TOP P	LARGE TOP PLATE											
1-5/8" x 7/8"	2-9/16"	60 lbs.	1.01656.441		N/A							
2" x 7/8"	2-3/4"	75 lbs.	1.02256.441		N/A							
3" x 7/8"	3-7/8"	75 lbs.	1.03056.441		1.03010.441							
2 SERIES TOP	PLATE											
3" x 7/8"	3-3/4"	125 lbs.	1.03856.471		1.03808.471							
4" x 7/8"	4-3/4"	135 lbs.	1.04356.441		1.04008.441							
5" x 7/8"	5-3/4"	145 lbs.	1.05356.441		1.05008.441							








▶ Colson 3/8" Threaded Stem Casters up to 145 lbs. Capacity

Standard features include zinc plated finish, full double ball hardened raceways, 5/16" shouldered axle with 1/4" nut, and non-marking Colson Performa Rubber wheels.

DIA.xWIDTH	HEIGHT	LOAD	MATERIAL	SWIVEL	PRICE
1-5/8" x 7/8"	2-1/2"	60 lbs.	Performa Rubber	1.01654.441 MTG53	
2" x 7/8"	2-11/16"	75 lbs.	Performa Rubber	1.02254.441 MTG53	Call for pricing
3" x 7/8"	2-9/16"	125 lbs.	Performa Rubber	1.03354.441 MTG53	or shop
4" x 7/8"	3-3/4"	135 lbs.	Performa Rubber	1.04354.441 MTG53	online.
5" x 7/8"	5-3/4"	145 lbs.	Performa Rubber	1.05354.441 MTG53	



Swive to assissment

Colson Low Profile Casters up to 210 lbs. Capacity

Standard features include zinc plated finish and full double ball hardened raceways. Low profile design offers low load height and quick swivel response. Ideal for business machines, stock picking carts, warehouse dollies and housekeeping carts. Thread guards are standard on all models.


DIA.xWIDTH	HEIGHT	LOAD	MATERIAL	SWIVEL	PRICE	RIGID	PRICE
2-1/2" x 1-1/8"	3-5/16"	175 lbs.	Hard Rubber	2.02689.54		2.02688.54	
3" x 1-1/4"	3-13/16"	210 lbs.	Hard Rubber	2.03689.54		2.03688.54	

PERFORMA/ECOFORMA
Grey non-marking thermoplastic tread bonded to polyolefin core that is ribbed for added strength.



POLY HI-TECH
Red polyurethane tread mechanically
locked to polyolefin core that is ribbed for
added strength.






CASTERS - MEDIUM DUTY

▶ Colson Plate Casters up to 325 lbs. Capacity

New ergonomic design gives higher quality, better performance and greater durability. Used for medium duty dollies, warehouse carts, fixtures and institutional equipment. Features include zinc plated finish, full double ball hardened raceways, axle with lock washer and nut, and non-marking wheels.






DIA. x WIDTH	MATERIAL	HEIGHT	CAPACITY	SWIVEL	PRICE	RIGID	PRICE
2-1/2" x 1-1/4"	Polyurethane Hi-Tech	3-7/8"	250 lbs.	2.02256.955		2.02208.955	\$7.00
2-1/2" x 1-1/4"	Performa Rubber (Flat)	3-7/8"	140 lbs.	2.02256.445		2.02208.445	\$9.00
3-1/2" x 1-1/4"	Polyurethane Hi-Tech	4-5/8"	250 lbs.	2.03756.955	Call for pricing	2.03708.955	\$7.75
3-1/2" x 1-1/4"	Performa Rubber (Flat)	4-5/8"	250 lbs.	2.03756.485	or shop online.	2.03708.485	\$10.25
4" x 1-1/4"	Polyurethane Hi-Tech	5-1/8"	275 lbs.	2.04756.955	orillitie.	2.04708.955	\$12.50
4" x 1-1/4"	Performa Rubber (Flat)	5-1/8"	300 lbs.	2.04756.485		2.04708.485	\$10.75
5" x 1-1/4"	Polyurethane Hi-Tech	6-3/16"	300 lbs.	2.05756.955		2.05708.955	\$17.00
5" x 1-1/4"	Performa Rubber (Flat)	6-3/16"	325 lbs.	2.05756.485		2.05708.485	\$13.25

▶ Colson 1/2" Threaded Stem Casters up to 325 lbs. Capacity

Standard features include zinc plated finish, full double ball hardened raceway, 5/16" shouldered axle with 1/4" nut, and non-marking wheels.

DIA. x WIDTH	MATERIAL	HEIGHT	CAPACITY	SWIVEL	PRICE
2-1/2" x 1-1/4"	Performa Rubber (Flat)	3-3/4"	140 lbs.	2.02254.445 MTG53	Call for
3-1/2" x 1-1/4"	-1/2" x 1-1/4" Performa Rubber (Flat)		250 lbs.	2.03254.485 MTG53	pricing or shop
4" x 1-1/4"	Performa Rubber (Flat)	5"	300 lbs.	2.04254.485 MTG53	online








▶ Colson Stainless Steel Casters up to 350 lbs. Capacity

Used on light duty applications with washdown or corrosive conditions like food service carts, restaurant equipment, hospital and medical equipment. Features include 304 stainless finish, double ball hardened raceways, 3/8" stainless axle and lock nut and non-marking wheels.

Purchase 24x7 at RHBROWNONLINE.COM





DIA. x WIDTH	MATERIAL	HEIGHT	CAPACITY	SWIVEL	PRICE	RIGID	PRICE
3-1/2" x 1-1/4"	Polyurethane Hi-Tech	4-11/16"	250 lbs.	2.03456.951		2.03408.951	Call for pricing or shop online
3-1/2" x 1-1/4"	Performa Rubber (Flat)	4-11/16"	250 lbs.	2.03456.471	Call for pricing or	2.03408.471	
4" x 1-1/4"	Polyurethane Hi-Tech	5-1/8"	275 lbs.	2.04456.951	shop	2.04408.951	
4" x 1-1/4"	Performa Rubber (Flat)	5-1/8"	300 lbs.	2.04456.471	online.	2.04408.471	
5" x 1-1/4"	Polyurethane Hi-Tech	6-3/16"	300 lbs.	2.05456.951		2.05408.951	
5" x 1-1/4"	Performa Rubber (Flat)	6-3/16"	325 lbs.	2.05456.471		2.05408.471	

PERFORMA/ECOFORMA
Grey non-marking thermoplastic tread bonded to polyolefin core that is ribbed for added strength.



POLY HI-TECH Red polyurethane tread mechanically locked to polyolefin core that is ribbed for added strength.




CASTERS - HEAVY DUTY

Colson Stainless Steel Casters up to 1250 Lbs. Capacity

Used on medium duty to heavy duty applications with washdown or corrosive conditions like food service carts, restaurant equipment and medical equipment. Features include 304 stainless finish, double ball hardened raceways, 1/2" stainless axle and lock nut and non-marking wheels.





DIA. x WIDTH	MATERIAL	HEIGHT	CAPACITY	SWIVEL	PRICE	RIGID	PRICE
4" x 2"	Polyurethane Hi-Tech	5-5/8"	500 lbs.	4.04109SS.921.7		4.04108SS.921.7	Call for pricing or shop online.
4" x 2"	Maxim	5-5/8"	800 lbs.	4.04109SS.531	Call for pricing	4.04108SS.531	
5" x 2"	Polyurethane Hi-Tech	6-1/2"	600 lbs.	4.05109.921SS.7	or shop	4.05108SS.921.7	
5" x 2"	Maxim	6-1/2"	1000 lbs.	4.05109SS.531	online.	4.05108SS.531	
6" x 2"	Polyurethane Hi-Tech	7-1/2"	720 lbs.	4.06109SS.921.7		4.06108.921SS.7	
6" x 2"	Maxim	7-1/2"	1200 lbs.	4.06109SS.531		4.06108SS.531	
8" x 2"	Polyurethane Hi-Tech	9-1/2"	800 lbs.	4.08199SS.921.7		4.08198SS.921.7	
8" x 2"	Maxim	9-1/2"	1250 lbs.	4.08199SS.531		4.08198SS.531	

▶ Colson Plate Casters up to 1200 lbs. Capacity

Used on medium duty to heavy duty carts, equipment, conveyors, portable work stations, hospital equipment, bakery carts, nursery carts, construction equipment, laundry carts and platform trucks. Features include zinc plated finish, full double ball hardened raceways, 1/2" hollow axle with zerk grease fittings, lock washer and nut and non-marking wheels.



DIA. x WIDTH	MATERIAL	HEIGHT	CAPACITY.	SWIVEL	PRICE	RIGID	PRICE
4" x 2"	Performa Rubber (Flat Black)	5-5/8"	350 lbs.	4.04169.475.2		4.04168.475.2	
4" x 2"	Polyurethane Hi-Tech	5-5/8"	600 lbs.	4.04169.929.7		4.04168.929.7]
4" x 2"	Transforma HD	5-5/8"	600 lbs.	4.04169.4F9		4.04168.4F9]
4" x 2"	Moldon Poly/Cast Iron Core	5-5/8"	700 lbs.	4.04169.949.7		4.04168.949.7	
4" x 2"	Maxim	5-5/8"	800 lbs.	4.04169.539		4.04168.539]
5" x 2"	Performa Rubber (Flat Black)	6-1/2"	375 lbs.	4.05169.475.2		4.05168.475.2	
5" x 2"	Polyurethane Hi-Tech	6-1/2"	750 lbs.	4.05169.929.7		4.05168.929.7]
5" x 2"	Transforma HD	6-1/2"	750 lbs.	4.05169.4F9		4.05168.4F9	1
5" x 2"	Moldon Poly/Cast Iron Core	6-1/2"	1000 lbs.	4.05169.949.7	Call for pricing	4.05168.949.7	Call for pricing
5" x 2"	Maxim	6-1/2"	900 lbs.	4.05169.539	or shop	4.05168.539	or shop
6" x 2"	Performa Rubber (Flat Black)	7-1/2"	600 lbs.	4.06169.475.2	online.	4.06168.475.2	online.
6" x 2"	Polyurethane Hi-Tech	7-1/2"	900 lbs.	4.06169.929.7		4.06168.929.7]
6" x 2"	Transforma HD	7-1/2"	900 lbs.	4.06169.4F9		4.06168.4F9]
6" x 2"	Moldon Poly/Cast Iron Core	7-1/2"	1200 lbs.	4.06169.949.7		4.06168.949.7]
6" x 2"	Maxim	7-1/2"	900 lbs.	4.06169.539		4.06168.539]
8" x 2"	Performa Rubber (Flat Black)	9-1/2"	675 lbs.	4.08169.475.2		4.08168.475.2]
8" x 2"	Polyurethane Hi-Tech	9-1/2"	900 lbs.	4.08169.929.7	1	4.08168.929.7	1
8" x 2"	Moldon Poly/Cast Iron Core	9-1/2"	1250 lbs.	4.08169.949.7	1	4.08168.949.7	1
8" x 2"	Maxim	9-1/2"	900 lbs.	4.08169.539]	4.08168.539]

PERFORMA Black non-marking thermoplastic tread bonded to polyolefin core that is ribbed for added strength.



POLY HI-TECH Red polyurethane tread mechanically locked to polyolefin core that is ribbed for added strength.



MAXIM Exclusive ultra tough thermoplastic resists hard impacts and drop-shocks.



POLY/CAST Polyurethane tread bonded to cast iron core



TRANSFORMA Non marking, thermoplastic elastomer tread is chemically bonded to waffle design polyolefin wheel core





CASTERS - EXTRA HEAVY DUTY

▶ Hamilton Plate Casters up to 4000 lbs. Capacity






These casters are widely recognized for their superior performance, wide selection, and reliable service. The EHD's extra thick hot forging, guaranteed-for-life integrally forged kingpin and precision tapered thrust bearing combine to defy comparison. Also available in a dual-wheeled version.

DIA. x W	MATERIAL	HEIGHT	CAPACITY	SWIVEL	PRICE	RIGID	PRICE
6" x 3"	Duralast	8-1/2"	2200 lbs.	S-EHD-63DT		R-EHD-63DT	
6" x 3"	Forged Steel	8-1/2"	4000 lbs.	S-EHD-63FST		R-EHD-63FST	
6" x 3"	Poly Soft	8-1/2"	1800 lbs.	S-EHD-63SPT		R-EHD-63SPT	
8" x 3"	Duralast	10-1/2"	2500 lbs.	S-EHD-83DT	Call for	R-EHD-83DT	Call for
8" x 3"	Forged Steel	10-1/2"	4000 lbs.	S-EHD-83FST	pricing	R-EHD-83FST	pricing
8" x 3"	Poly Soft	10-1/2"	2000 lbs.	S-EHD-83SPT	or shop	R-EHD-83SPT	or shop
10" x 3"	Duralast	12-1/2"	3000 lbs.	S-EHD-13DT	online	R-EHD-13DT	online
10" x 3"	Forged Steel	12-1/2"	4000 lbs.	S-EHD-13FST		R-EHD-13FST	
10" x 3"	Poly Soft	12-1/2"	2400 lbs.	S-EHD-13SPT		R-EHD-13SPT	
12" x 3"	Duralast	14-1/2"	3500 lbs.	S-EHD-12DT		R-EHD-12DT	
12" x 3"	Poly Soft	14-1/2"	2800 lbs.	S-EHD-12SPT		R-EHD-12SPT	

▶ Hamilton Plate Casters up to 17,000 lbs. Capacity










DIA. x W	MATERIAL	HEIGHT	CAPACITY	SWIVEL	PRICE	RIGID	PRICE
6" x 3"	Forged Steel	10"	12000 lbs.	S-MD-63FST		R-MD-63FST	
8" x 3"	Forged Steel	11"	6000 lbs.	S-MD-83FST		R-MD-83FST	
8" x 3"	Superlast	11"	3500 lbs.	S-MD-83SYT	Call for	R-MD-83SYT	Call for pricing or shop online
8" x 4"	Forged Steel	11'	17000 lbs.	S-MD-84FST	pricing or shop	R-MD-84FST	
10" x 3"	Forged Steel	13"	6500 lbs.	S-MD-103FST	online	R-MD-103FST	
10" x 4"	Forged Steel	13"	17000 lbs.	S-MD-104FST		R-MD-104FST	
10" x 4"	Superlast	13"	5000 lbs.	S-MD-104SYT		R-MD-104SYT	
12" x 4"	Superlast	15-1/2"	6000 lbs.	S-MD-124SYT		R-MD-124SYT	

▶ Hamilton Dual Wheel Casters up to 25,000 lbs. Capacity









DIA. x W	MATERIAL	HEIGHT	CAPACITY	SWIVEL	PRICE	RIGID	PRICE
8" x 3"	Duralast	11"	5000 lbs.	S-MDD-83DT		R-MDD-83DT	
8" x 3"	Superlast	11"	7000 lbs.	S-MDD-83SYT	Call for	R-MDD-83SYT	Call for
10" x 3"	Duralast	13"	6000 lbs.	S-MDD-13DT	pricing	R-MDD-13DT	pricing
10" x 4"	Superlast	13"	10000 lbs.	S-MDD-104SYT	or shop online	R-MDD-104SYT	or shop online
12" x 4"	Duralast	15 1/2"	9600 lbs.	S-MDD-124DT	Orinine	R-MDD-124DT	Orinite
12" x 4"	Superlast	15 1/2"	12000 lbs.	S-MDD-124SYT		R-MDD-124SYT	

DURALAST liquid cast polyurethane chemically bonded onto heavy-duty iron wheel centers.



POLY-SOFT Liquid cast polyurethane bonded onto a heavy-duty iron wheel center.



FORGED STEEL Machined smooth and concentric with a slight crown.



Liquid cast polyurethane chemically bonded to solid-web, drop forged steel centers.



ALUMINUM TRUCKS

MAGLINE Hand Trucks MAGLINER

MOVING LIGHT OR **HEAVY LOADS?**

SELECT THE RIGHT **TRUCK**

Call for a quick consult with our material handling pros.

> **CALL TODAY** 800-426-9806



- 500 lbs. Capacity
- 14" x 7-1/2" Cast Nose
- · 8" M.O.R. Wheels

ITEM	PRICE
184431	



113B-E2-820-C5

ITEM 901346

- · 500 lbs. Capacity
- 14" x " Aluminum Nose
- 8" Performa Rubber Wheels

PRICE

			1	
	1			
8			N	
A	P	P	ς	7

- · 500 lbs. Capacity
- 18" x 7-1/2" Cast Nose
- 10" Pneumatic Tires

ITEM	PRICE
184827	



116-AM-1060-C5

- · 500 lbs. Capacity
- · Double Grip Handle
- 14" x 7-1/2" Cast Nose
- · 10" Pneu. Wheels

ITEM	PRICE
184826	



112-G2-1010-C5-68"

- 500 lbs. Capacity
- 14" x 9" Nose
- · 68" Hi-U Handle Extension
- 10" Flat Free Wheels

ITEM	PRICE
184864	

► MAGLINE Specialty Trucks MAGLINER



111-HM-1060 WATER TRUCK

- · 500 lbs. Capacity
- · Height: 49"

ITEM

184433

- Width: 21-1/2"
- 14" x 12" 'H' Nose

	80	-11
	IA	뻬
	41	2
	N	M
0	M	
	M	

- · 500 lbs. Capacity

ITEM

184752

- 14-1/2" x 9"
- · 8" Balloon Wheels

M	
17	

ALUMINUM FOLDING HAND TRUCK

- 49" High
- Folding Nose

3	
0	

B13-G2-1060-C5 BRAKE TRUCK

- 500 lbs. Capacity
- 14" x 9" Nose

ITEM

901197

- · Y-Cable Brake Truck
- 10" Pneu. Wheels

PRICE

A	

SLIDING HOOK KEG HAND TRUCK

- 500 lbs. Capacity
- · Curved Back Frame
- 14" x 9" Steel Nose

PRICE

· 8" Balloon Wheels

ITEM

184885

-	1	1		
		1	1	
		F	3	

SELF STABILIZING HAND TRUCK

- · 500 lbs. Capacity
- · Rotacasters in front for stability and rotation
- · Integrated kickstand
- · 8" Microcellular Wheels

PRICE

\mathcal{O}
(1
5
0

ALUMINUM APPLIANCE HAND TRUCK

- · 600 lbs. Capacity 2-wheel
- · 800 lbs. Capacity 4-wheel
- · Adj. Vertical Loop Handle
- 4th Wheel Attachment
- 10" Microcellular Wheels

ITEM	PRICE
900029	

▶ Curb Ramps, Bags, Moving Blankets, Straps

PRICE



PRICE

0

E TRACK STRAPS

10

- · 4500 lbs. Breaking Weight
- · 1000 lbs. Load Limit

ITEM	WxL	PRICE
195605	2" x 16' (Gray)	
195610	2" x 20' (Blue)	



PLASTIC CURB RAMP

- · 600 lbs. Capacity
- · 27" x 27" (Range to 8")
- · Weight 9 lbs.

ITEM	PRICE
184411	



ALUMINUM CURB RAMP

- · 750 lbs. Capacity
- 27"x 27" (Range to 6") · Weight 16 lbs.
- ITEM **PRICE**

179195



ITEM

903120

ACCESSORY BAGS

- · Durable, Weather Resistant
- Great for All Your Supplies & Tools

ITEM	PRICE
901120	



MOVING BLANKETS

- 72" X 80"
- · Color: Blue

ITEM	MODEL	PRICE
172031	Single	
172030	Dozen	

BUILD YOUR OWN TRUCK

FRAMES



STRAIGHT BACK with 1-1/4" cross braces.

CODE	ITEM
#1	184564

CURVED BACK with 1-1/4" cross braces

CODE	ITEM
#5	184567

HANDLES



STANDARD LOOP

CODE	ITEM
#11	184513



VERTICAL LOOP

CODE	Н	ITEM
#15A	52"	184573
#15C	60"	184559



STANDARD LOOP with universal brace

CODE	ITEM
#12	184512

SINGLE GRIP

CODE

#13B

#13C

55"

60"



STANDARD LOOP with vinyl sleeve

CODE	ITEM
#19	184522



DOUBLE GRIP

200222 0		
CODE	ITEM	
#16	184518	

COMPONENTS **SELECT A FRAME** CHOOSE A HANDLE **PICK A**

NOSES

DIE-CAST MAGNESIUM

Designed using magnesium alloys chose for strength and corrosion resistance. Magnesium is light, flexible, and the best option for cold climates or freezer deliveries.



CODE	W x D	ITEM
#AM	14" x 7 1/2"	184531
#HM	14" x 12"	184539
#UM	18" x 7 1/2"	184533

EXTRUDED ALUMINUM

Designed with a tapered profile and leading edge for ease of use and maximum strength to weight ratio..



CODE	W x D	ITEM
#E1	14" x 9"	184534
#E2	14" x 9"	901130
#G1	18" x 9"	184535
#G2	18" x 9"	901129
#K1	16" x 12"	184536
#K2	20" x 12"	185543

WHEELS



MICROCELLULAR

Puncture-resistant, non-marking, tire on one-piece steel hub.

CODE	DxW	ITEM
#810	8" x 2 1/4"	170003
#1010	10" x 2 1/4"	184569



SOLID RUBBER

Mold-on rubber on die-cast hub.

CODE	DxW	ITEM
#815	8" x 1 5/8"	154510
#820	8" x 2"	090601



ITEM

185526

184516

2-ply tube-type tire with one-piece steel hub.

CODE	D x W	ITEM
#860	8" x 2 1/4"	151478
#1060	10" x 2 1/4"	184608



BALLOON CUSHION

Puncture resistant, non-marking, one-piece polyolefin hub.

CODE	D x W	ITEM
#830	8" x 2"	151478
#1030	10" x 2	184608



NOTE THE COMPONENT CODES FRAME + HANDLE + NOSE AND WHEELS + ACCESSORIES

CALL 1-800-426-9806 EMAIL info@rhbrown.com or ORDER ONLINE at RHBROWN.COM/BYOT



ACCESSORIES



STAIR CLIMERS. Heavy-duty cast with replaceable lowfriction polymer glide bars

CODE	ITEM	
#C5	184525	

SLIDING KEG HOOK. Swings out of the way when not in use. 5" hook for barrel-style kegs.



CODE	ITEM
#SKH	800718



HI-U EXT. This frame adds height and stability for taller loads. (Hardware required.)

CODE	HEIGHT	ITEM
#55HiU	55"	185010
#60HiU	60"	184545
#68HiU	68"	184551

QUESTIONS ABOUT ACCESSORIES? Speak with a pro at 1-800-426-9806.

FOLDING NOSES. 300 pound capacity.



Low-profile formed aluminum extension.

Λ	ITEM	CODE
02	184502	#F1
	18450	#F1



Extruded aluminum channel extension

DE	ITEM	CODE	ITEM
-1	184502	#F2	184504



Extruded aluminum channel extension.

CODE	ITEM
#F3	184506

11

TOP SELLING HAND TRUCKS

RHB Hand Trucks



MODEL 48RHB

- Steel
- · 800 lbs. Capacity
- 46" High
- 13" x 7" Toe Plate
- · 8" x 2" Round Tread
- · Colson Performa Hand Truck Wheels

ITEM	1	PRICE
1781	32	



MODEL 58RHB

- Steel
- · 800 lbs. Capacity
- 55" High
- 13" x 7" Toe Plate
- 8" x 2" Round Tread
- · Colson Performa Hand Truck Wheels

ITEM	PRICE
178281	



MODEL 58PMP-HD

- Steel
- 55" High
- · 900 lbs. Capacity
- 13" x 7" Toe Plate
- 8" x 2" M.O.R. Wheels

PRICE

• 3/4" Axle

ITEM

178287

	1	
	_	1
0		9
-	4	

MODEL RET51S

- Steel
- 50" High

ITEM

178419

- · 700 lbs. Capacity
- 14" x 9" Toe Plate
- · 10" Semi Pneu Wheels
- · Single Loop Handle


PRICE



MODEL A46RHB

- Aluminum
- · 500 lbs. Capacity
- 13"x 7" Toe Plate
- 8" x 2" Round Tread
- · Colson Performa Hand Truck Wheels

ITEM	PRICE
178581	



MODEL A56RHB

- Aluminum
- · 500 lbs. Capacity
- 13" x 7" Toe Plate
- · 8" x 2" Round Tread
- · Colson Performa Hand Truck Wheels

ITEM	PRICE
178611	

▶ Specialty & Appliance Trucks



MODEL EZE-OFF

- 55" High
- 800 lbs. Capacity
- 7" x 13" Toe Plate
- 8" M.O.R. Wheels
- Push-Off Mechanism

ITEM	PRICE
170404	



MODEL 58RHB-FN30

- · 800 lbs. Capacity
- · 55" H w/Drop Nose
- 7" x 13" Toe Plate
- · 8" x 2" Round Tread

Colson Performa Hand Truck Wheels

ITEM	PRICE
178286	



SALESMAN'S TRUCK

- Ext Handle (26" to 41")
- Nose Extension (15")
- · 400 lbs. Capacity

ITEM	WH	PRICE
178430	5"	
178435	8"	
178438	8"	



APPLIANCE TRUCKS

- 700 lbs. Capacity
- 59" High
- · Geared Ratchet & Strap
- Stair Rollers

ITEM	WH	PRICE
179080	8"	
179085	5"	



VENDING TRUCK

- · 800 lbs. Capacity
- 58-1/4" High
- · 8-1/2" Front Wheels &
- 4" Rear Casters
- Converts from 2 Wheels to 4 Wheels

ITEM	PRICE
179084	



- 1,600 lbs. Capacity
- 72" High
- 5" M.O.R. Front Wheels
- 10" Pivoting Mold-On Rear Wheels
- 2 Straps

CAPACITY

350 lbs.

375 lbs.

300 lbs

300 lbs.

500 lbs.

450 lbs.

450 lbs.

ITEM	PRICE
179000	

PRICE

Call for pricing

or shop

online


Replacement Hand Truck Wheels



12







REPLACEMENT BEARINGS \$3.00 EACH



CONVERTIBLE HAND TRUCKS & LADDERS

▶ GEMINI® Aluminum Convertible Truck

Gemini Sr., Jr., and 3-Way aluminum trucks provide material handling solutions for many industries. Industries Served: Beverage Delivery, Package Delivery, Moving & Storage, Food Services, Trade Shows, Vending & Video Production and many more.

• 2 wheels, 500lbs with casters • 4 wheels, 1000lbs with 15" swivel casters







ITEM	MODEL	WHEELS	PLATFORM	PRICE
184420	Gemini Jr. 2 Way	10" Pneumatic	21" x 38"	
184407	Gemini Jr. 2 Way	10" Carefree	21" x 38"	Call for
184421	Gemini Sr. 2 Way	10" Pneumatic	21" x 51"	pricing or shop
184408	Gemini Sr. 2 Way	10" Carefree	21" x 51"	online
184416	Magliner 3 Way	10" Pneumatic	12" x 50"	
184414	Magliner 3 Way	10" Carefree	12" x 50"	

▶ Dutro Steel Convertible Truck

Versatile trucks convert from an upright hand truck to a platform truck simply and quickly with no pins or other parts to remove. Just rotate the handle backwards and lower the deck portion into the horizontal position. The 3-Way truck also offers a 45° position.

· Wheels: 8" M.O.R. · Casters: 4" swivel







ITEM	CONVERSION	CAPACITY	PLATFORM	PRICE
178410	3 Way	800 lbs.	19" W x 50" L	
178414	2 Way	600 lbs.	19" W x 44" L	

Powered Liftkar

- · 375 lbs. Capacity
- · Maximum Speed 29 Steps/Minute
- 8" Maximum Step Height
- 62" Overall Height, 19" Overall Width
- 18" to 24" Depth Depending on Nose
- · Battery Capacity: 220 Steps Approx. (With Max. Load)

ITEM	PRICE
185563	



▶ Aluminum Pick Cart

- 62" Overall Length
- 24" OAW x 50" OAL Deck
- 10" & 24" Deck Levels
- · Four Step Spring Ladder
- · Ergonomic Safety Rails
- · Bolt on Integrated Clip Board Holder
- 5" Swivel and Rigid Performa Rubber Casters

ITEM	PRICE
900903	



▶ Aluminum Route Delivery Truck

- · 1200 lbs. Capacity
- 60" L x 18" W Deck
- · 48" High End Racks
- 8" Rubber Casters

ITEM	PRICE
189145	\$590.00



Rolling Ladders

MODEL 26H4-24TT DEEP TOP ROLASTAIR

- 4 Steps/Traction Tread
- 38" Platform Height/70" Overall Height
- 30" W x 35" D Base Dimensions
- · Step Jack Controlled Floor Lock Assembly

ITEM	PRICE
26H4-24TT	



-			
LADI	DER IN	DUST	RIES

U-Boat Steel Cart

- · 1500 lbs. Capacity
- 59-5/8" H x 18" W x 63-7/8" L
- · Tall End Panels to Keep Product from Siding Off
- · 4" Swivel Casters & 8" Pivot Wheels
- · Optional Shelves are Available

ITEM	PRICE
178620	



MODEL 26H7-24TT STANDARD ROLASTAIR

- 7 Steps/Traction Tread
- 66-1/2" Platform Height/108-1/2" Overall Height
- 35" W x 55-1/2" D Base Dimensions
- · Step Jack Controlled Floor Lock Assembly

ITEM	PRICE
26H7-24TT	



MATERIAL HANDLING CARTS

▶ Wood Deck Platform Truck

Crafted from Kiln Dried Oak for superior durability to handle loads ranging from 1800 lbs. to 2200 lbs.

- · Other Wheel Patterns Available
- · Other Handle Styles Available
- Angle Handle Shown
- Colson Casters



ITEM	CAP	DECK (WxL)	HANDLE	WHEEL	PRICE
175920	1800 lbs.	24" x 42" (Standard)	Fixed Angle	6"	
175924	1800 lbs.	24" x 42" (Standard)	Tubular	6"	
175922	1800 lbs.	24" x 48" (Standard)	Fixed Angle	6"	
175923	1800 lbs.	24" x 48" (Standard)	Tubular	6"	Call for pricing
175926	2200 lbs.	27" x 54" (Standard)	Fixed Angle	8"	or shop
175928	2200 lbs.	27" x 54" (Diamond)	Fixed Angle	8"	online
175927	2200 lbs.	27" x 54" (Standard)	Tubular	8"	
175934	2200 lbs.	30" x 60" (Standard)	Fixed Angle	8"	
175935	2200 lbs.	30" x 60" (Diamond)	Fixed Angle	8"	

Steel Deck Platform Truck

- 12 Gauge Steel
- · Removable Handle
- · Rounded Corners
- · Colson Casters
- · Painted Blue



ITEM	CAPACITY	DECK (WxL)	WHEELS	PRICE
179465	1500 lbs.	24" x 48"	6"	Please Call
179470	1500 lbs.	27" x 54"	8"	for Pricing

Aluminum Platform Truck

Super-light aluminum designed for tough job services, load handling versatility and long life.

- · 1600 lbs. to 3000 lbs. Capacity
- Durable Extruded Corner Sockets Integrated with Frame
- · Other Handle Styles Available
- Angle Handle Shown
- Colson Casters




ITEM	SURFACE	DECK (WxL)	WHEELS	PRICE
184400	Tread Deck	24" x 36"	6"	0 11 6
184402	Tread Deck	24" x 48"	6"	Call for pricing
184404	Tread Deck	30" x 48"	8"	or shop
184424	Tread Deck	30" x 60"	8"	online

SEE PRICING ONLINE
ORDER HAND TRUCKS ANYTIME AT
RHBROWNONLINE.COM

▶ Tubular Stocking Cart

- · 1200 lbs. Capacity
- All Welded Heavy Duty 14 Gauge x 1" Steel Tubing
- 8" Colson Wheels in Center
- 5" Colson Swivel Casters on All 4 Corners
- · Painted Blue



ITEM	(WxL)	WHEELS	PRICE
179450	16" x 39"	8" & 5"	Please call
179440	18" x 53"	8" & 5"	for Pricing

■ Sheet Rock Cart

- 3200 lbs. Capacity
- · Painted Blue
- 8" Colson All Swivel Casters

ITEM	PRICE
179455	



Panel Mover

- 2000 lbs. Capacity
- 5" Heavy Duty Casters
- 27" x 36" Deck
- Coated with Skid-Resistant Non-Mar Vinyl

ITEM	PRICE
186154	



■ 4 Wheel Tubular Cart

- · 800 lbs. Capacity
- 16" W x 36" L x 37" H
- All Welded Heavy Duty 14 Gauge x 1" Steel Tubing
- Painted Blue



▶ 1/2 Yard Tilt Truck

- Angled Front End for Convenient Dumping
- · Easy to Clean and Resists Pitting and Corroding
- USDA, FDA Compliant Materials
- 750 lbs. Capacity
- 54" L x 27" W x 41" H

ITEM	PRICE
176100	0



MATERIAL HANDLING CARTS

Steel Stock Cart

- · Welded Heavy Duty Construction 14 Gauge Steel
- 3" Deep Pans (Pan Up Standard)
- · Two Rigid & Two Swivel 5" Casters
- · Push Handle is Standard on Heavy **Duty Carts Only**
- · Pans May Be Reversed Upon Request (Pan Up or Pan Down)



ITEM	CAPACITY	WxL	PRICE
179432	600 lbs.	18" x 30"	
179433	1200 lbs.	18" x 30"	Please Call for Pricing
179434	1200 lbs.	24" x 36"	lorring

▶ Economy Carpeted Dollie

· 4" Colson Non-Marking Casters

ITEM	CAPACITY	LxW	PRICE
172020	800 lbs.	19" x 32"	



▶ General Purpose Dollie

- · Heavy Duty Kiln Dried Oak
- 3" Hard Rubber Non-Marking Wheels

ITEM	CAPACITY	LxW	PRICE
175954	800 lbs.	18" x 24"	



Rubbermaid Stock Cart

- · Long Lasting Structural Foam Construction Won't Rust, Dent, Chip or Peel
- · Rounded Corners Mean No Sharp Edges to Nick Walls or Furniture
- · Sturdy, Lightweight and Easily Maneuverable
- 5" Non-Marking Casters
- · Optional Middle Shelf Available



ITEM	CAP.	WxL	PRICE
182400	400 lbs.	16" x 30"	Please Call
182405	400 lbs.	24" x 36"	for Pricing

Rubber End Dollies

· 4" Colson Non-Marking Casters

ITEM	CAPACITY	LxW	PRICE
172010	800 lbs.	18" x 24"	Please Call
172015	800 lbs.	18" x 30"	for Pricing



▶ Carpeted End Dollies

• 4" Colson Non-Marking Casters

ITEM	CAPACITY	LxW	PRICE
172000	800 lbs.	18" x 24"	Please Call
172005	800 lbs.	18" x 30"	for Pricing



Drum Cradle - Model 3034W

- 43" x 16-1/4"
- · 700 lbs. Capacity
- 3" Solid Aluminum Wheels

ITEM	PRICE
178900	



▶ Carpeted Piano Dollies

- Dimensions: 18" W x 25" L
- 5" Non-Marking Colson Casters

ITEM	CAPACITY	WHEEL SPECS	PRICE
179190	1200 lbs.	All Swivel	Please
179180	1300 lbs.	2 Swivel, 2 Rigid	Call for Pricing
179130	1400 lbs.	All Rigid	Trioling



■ 4 Wheel Drum Dollie - Model 3004

- 56-1/2" x 21-1/2"
- · 1000 lbs. Capacity

ITEM	PRICE
178902	



· 2" Hard Rubber Casters

- · 375 lbs. Capacity

ITEM	SIZE	PRICE
179490	9" L x 3" H	



▶ 2 Wheel Drum Dollie - Model 3000

- 10" x 2-1/2" Moldon Wheel
- · 1200 lbs. Capacity

ITEM	PRICE
178904	



Drum Dollie - Model 3024

- · 3" Hard Rubber Casters
- 700 lbs. Capacity

ITEM	SIZE	PRICE
179086	23-3/4" Dia.	



PALLET JACKS & DOCK EQUIPMENT

Lift-Rite Altra-Lift Pallet Jack

- · 5000 lbs. Capacity
- 6.25" Wide Forks with Rounded Tips
- 3" Lowered Height
- · 7.75" Raised Height
- *1 Year Warranty on Hydraulic Pump



ITEM	FORK SIZE	WHEELS	PRICE
189117	27" W x 36" L	Poly/Cast	
189116	27" W x 42" L	Poly/Cast	
189115	27" W x 48" L	Poly/Cast	See pricing online at
189122	20.5" W x 36" L	Poly/Cast	rhbrownonline.com or call 800-426-9806
189121	20.5" W x 42" L	Poly/Cast	01 Call 000-420-9000
189119	20.5" W x 48" L	Poly/Cast	

Purchase online at www.rhbrownonline.com

Lift-Rite Electric Pallet Stacker

- · 24" Load Center
- 3-1/4" Lowered Height, 31-1/2" Raised Height
- 7" Wide Rounded Forks
- 8" Diameter Poly Load Wheels
- 3" Diameter Poly Load Rollers
- · 180° Steering Arc
- 12 Volt Battery and Built in Charger (110 V/1 Ph/60 Hz)



TEM	CAPACITY	FORK SIZE	PRICE
189160	3000 lbs.	27" W x 48" L	Call for pricing.

▶ Lift-Rite TITAN® Pallet Jack

- 5500 lbs. Capacity
- 27" Wide x 48" Long Forks
- · 7" Wide Forks with Rounded Tips
- 3" Lowered Height/7.75" Raised Height
- *2 Year Warranty on Hydraulic Pump

ITEM	PRICE
189102	



Lift-Rite 4-Way Pallet Jack

- · 2" Lowered Height
- · 6" Wide Forks with Rounded Tips
- · Powder Coat Finish on Frame and Handle
- · 210° Turning Radius
- 2 Year Warranty on Hydraulic Pump



ITEM	CAPACITY	FORK SIZE	WHEEL TYPE	PRICE
189125	5000 lbs.	33" W x 48" L	Poly/Steel	

▶ Pry Bars & Cargo Stays

CARGO STAY

- 2" x 4" Foot Pad
- 16 Ga. Zinc Steel
- 86"-105" Length

HARDWOOD PRY BARS

- 6" W x 3" L Nose
- · 2000 lbs. Capacity

	, ,	
ITEM	SIZE	PRICE
182600	5'	
182602	6'	
182604	7'	

Dock Plates and Dock Equipment Company

BLUFF PORTABLE DOCK PLATE


- · For Use in Non-Powered Loading Applications
- Light Weight Aluminum Construction
- · Machine Beveled Deck Edges



ITEM	CAPACITY	(WxL)	WEIGHT	PRICE
177395	3,976 lbs.	36" x 30"	56 lbs.	
177398	3,269 lbs.	36" x 36"	64 lbs.	
177400	4,342 lbs.	48" x 36"	80 lbs.	


BLUFF PORTABLE YARD RAMP

Portable Docks afford 90 degree turn ability for safe forklift maneuvering. It is a fast, economical way to expand your dock area and increase freight handling capabilities without the expense of site or concrete work. Optional adjustable telescoping legs of 44" to meet most dock height requirements.



PORTABLE DOCK BOARDS

- · Light Weight Aluminum Construction
- · Machine Beveled Deck Edges
- Allow for Smooth Transition
- · Full-Length, Steel, Bolt-On Curbs
- · Also Available with Lifting Chains



BLUFF DOCK LEVELLER

- · Raises Edge of Dock Levelers as Much as 11"to Proper Working Height
- Completely Assembled; No Site Welding Required (Includes Beveled Approach Plate EPAP24C & Fastener Pack EPAP3 for Easy Installation)
- · Easily Installed on Any Concrete Dock
- Available 20,000 25,000 lbs. Capacities
- · Optional 3" Channel Curbs Welded to Sides



MODEL	CAPACITY	USEABLE WIDTH	LIP LENGTH	PRICE
20EP72	20,000 lbs.	72"	15"	


LIFTING EQUIPMENT

▶ Southworth Ergonomic Lifts



QUALITY, RELIABLE PERFORMANCE

- · Contoured Legs with Extra Width at the Pivot Points
- · Lubricated-for-Life Bearings
- Oversized, Low Pressure Hydraulic Cylinders
- · Heavy Duty Torque Tubes
- · Comfort Edge Design
- · Built in Safety Chock
- · Wear Indicating Rollers and Roll Retainers
- · 2-Year Warranty



Southworth Pallet Pals



SPRING ACTUATED

- 400 4,500 lbs. Capacity
- · Compressed Height 9-1/2"
- · Extended Height 28"
- · Turntable for Near-Sided Loading and Unloading

MODEL	PRICE
PP360	



PNEUMATIC ACTUATED

- · 400 4.500 lbs. Capacity
- · Compressed Height 9-1/2"
- Extended Height 30-1/2"
- Turntable for Near-Sided Loading and Unloading

MODEL	CAP (lbs.)	PRICE
PPA2-24	2000	
PPA4-24	4000	



Southworth Dandy Lift SOUTHWORTH



Essential for lifting, positioning, assembling, un-stacking, transporting, or for use as an adjustable height work surface.

MODEL	CAP	PLATFORM (L"x W")	HT (Low)	PRICE EACH
L-150	330 lbs.	28 x 17.7	8.3"-29"	Call for
L-250	550 lbs.	31.5 x 19.7	9.5"-31.8"	Quote
A-500	1100 lbs.	35.8 x 23.6	11.8"-36.6"	



Southworth Roll-On Level Loader



The Roll-On Level Loader lowers to floor height so pallets can be rolled on with a hand pallet truck. The operator can adjust the height of the pallet to allow loading or unloading at the most convenient working height with a minimum of lifting. Narrow side panels virtually eliminate reach-over while providing operator protection.



MODEL	CAP	WxL	POWER	PRICE
ROLLC2.5-28	2000	40", 44", 52" x 48"	115/1/60	Call for
ROLLC4-28	4000	40", 44", 52" x 48"	115/1/60	Quote

LiftPlus **MAGLINER**

Increase productivity and reduce job-related injuries with this all-in-one stacker, transporter, and positioner. Narrow footprint fits through most doorways and tight spaces. No fork truck required. Easy to operate; no certification required.

- · Attachment height/fully lifted: 48"
- Steel platform is 24" W x 24" L
- 5" height from floor when fully loaded
- · Up to 350 lbs. lift capacity
- · Lifts 2" per second
- · Overall width: 25" (14" chassis)
- · Height: 60", Depth: 37"

ITEM	PRICE
900050	

Learn more at rhbrown.com/LiftPlus






WORK PLATFORMS & SHELVING

▶ STORAGE, WORK PLATFORMS & MEZZANINES DOUBLE OR TRIPLE YOUR WAREHOUSE SPACE

Fully utilize existing space and gain valuable working office, storage or manufacturing area at a low cost. Put this space to work fast with minimum interruption to your working floor. These systems are designed using pre-engineered components to fit your custom needs. We also offer a choice of optional accessories including: railings, stairs, landings, swing gates, sliding gates, several types of decking and more.

We offer full design, engineering, permitting, and installation.

READY TO OPTIMIZE YOUR WAREHOUSE SPACE? SPEAK WITH AN ENGINEER at 1-800-426-9806 OR START ONLINE at RHBROWN.COM/OPTIMIZE



WATCH VIDEOS OF OUR PROJECTS youtube.com/rhbrownco/videos

Open/Closed Metal Shelving

We offer both open and closed metal shelving units. Metal industrial shelving provides the most stability, while protecting the contents stored inside.

Open metal shelving units are a commonly used type of shelving for general storage purposes. This type of industrial steel shelving is open on the sides and back, with back bracing to help stabilize it. Closed metal shelving units include closure at the back. Assembly of these types of industrial shelving units is quick and easy.

Components consist of posts, shelves, shelf brackets, sway braces for added stability, and side and back panels if choosing closed side and/or back style.

Common Widths – 24", 36", 42", & 48"

Common Depths – 12", 15", 18", 24", 30", 32" or 36"

Accessories include – shelf dividers and bins, label holders, drawer and cabinet systems



Industrial Boltless Shelving

Designed for efficient use of storage and easy installation. A low-cost storage solution for bin boxes, small parts and bulk storage. All posts come standard with welded foot plate. Shelf capacity: 1600 lbs.

DESCRIPTION		
Starter Bay	24" D x 48" W x 84" H	
Add-On Bay	24" D x 48" W x 84" H	
Extra Shelf	24" D x 48" W	
Starter Bay	36" D x 72" W x 84" H	
Add-On Bay	36" D x 72" W x 84" H	
Extra Shelf	36" D x 72" W	



▶ 4 Sided Security Cage Kits

MODULAR DESIGN

Twenty basic panels and our "building block" approach accomplish virtually any layout

STRONG

Panels bolt directly to support posts. Standard 3/8" wedge anchors hold partition firmly in place. Baseplates welded on posts allow direct floor anchoring.

SECURE

Utilizes the heaviest assembly hardware in the industry. Bolts are only accessible from inside.

FLEXIBLE

Easy to reconfigure as needs change.



SPECIFICATIONS

Woven Wire Partition: 8'-4" W x 8'-4" D x 8'-5 1/4" H, w/3' Hinged Door

Woven Wire Partition: 12'-6" W x 12'-6" D x 8'-5 1/4" H, w/3' Hinged Door

Woven Wire Partition: 10'-4" W x 10'-4" D x 10'-5-1/4" H, w/5' Slide Door

Machine Guarding

A strong, reliable, and economical solution to plant safety needs. System versatility allows easy integration of access doors or material-handling openings with system controls. Crimped and woven wire mesh is resilient; resists dings, retains its shape, and appearance.



SPECIFICATIONS
Run Post 5', 3 1/4" H, Holes Drilled for 5' H Panel, 1' Sweep & 2" Open at Top
Corner Post 5', 3 1/4" H, Holes Drilled for 5' H Panel, 1' Sweep & 2" Open at Top
Panel 2' W x 5' H
Panel 4' W x 5' H
Panel 5' W x 5' H

Panel 8' W x 5' H

Hinge Door 3' W x 5' H

Hinge Door 4' W x 5' H



PALLET RACK SYSTEMS & ACCESSORIES

PALLET RACK SYSTEMS SPACE PLANNING & WAREHOUSE DESIGN

Drawing from decades of experience in material handling, we'll understand your needs, then design and install a warehouse storage system that meets those needs, including but not limited to:

- Cantiliver
- Push Back Rack
- Drive In Pallet Racking
- Pallet Flow Rack
- Selective Rack
- Carton Flow
- Pallet Racking

Curious how you can optimize your storage? Contact us today at 1-800-426-9806

SEE MORE SOLUTIONS AT RHBROWN.COM/STORAGE

DESIGN WITH A PRO

INCREASE YOUR FOOTPRINT WITHOUT INCREASING YOUR RENT

Optimize your vertical space with pallet rack, work platforms, and other warehouse solutions.

> Offering design, engineered drawings, permitting and installation for warehouse optimization and automation.

CALL US: 1-800-426-9806 SEND AN EMAIL: info@rhbrown.com START ONLINE: rhbrown.com/optimize

Wire Mesh Decking

Whether you are loading full pallets or hand stacking small cartons on your pallet rack, our wire mesh decking offers safety, strength, and versatility for changing applications.

MESH PATTERNS

- Standard: 2.5" x 4"
- · Heavy Duty: 1" x 4"
- · Heavy or Handstack: 2" x 4"

WATERFALL **OPTIONS**

- Outside
- Inside
- Reversible

DIVIDERS

- Hanging
- Snap-in Flue Space
- · Backstop (not shown)







Wire Mesh Containers

These containers deliver superior strength, quality, and durability. Available in four sizes with electrogalvanized finish.

KEY FEATURES

- · Collapsable and stackable
- · Stackable four (4) high fully loaded
- · Stackable ten (10) high collapsed
- · Standard half-front drop gate
- · Also available: Locking lids, dividers, lable placards; feet; with casters, runners, or fork pockets.



SAFETY AND FLEXIBILITY WITH WIRE MESH DECKING

Call us at 1-800-426-9806 for complete decking options, accessories and application consultation.

SAFETY ACCESSORIES

Safety Guard Rail



POSTS

- · 4" I-Beams
- 8" square base plates 18" or 42" high
- · Posts have open sides for easy assembly

- · Formed 10 gauge ATSM steel rails
- Rail beam cross-section shall be 12" high and 2 5/8" in depth
- · Hardware: 4 (each) 5/8 wedge anchors for concrete mounting
- Railing can withstand impacts of up to a 10,000 pound load
- Lengths of 6', 8', and 10'.

Storage Rack Protection

END OF ROW PROTECTION

- · Bolts for floor for high impact rating
- · Avoid downtime due to rack damage
- · Round-edge or Formed Edge styles

COLUMN GUARD

- · Floor mounted design
- 3/16" thick steel construction
- Available in 12", 18",

*Accessories show come in safety yellow for maximum visibility.

- **COLUMN GUARD** · Sits on top of foot plate
- · Rubber compound provides max impact-absorbing qualities
- Easy installation
- Stackable





GRAVITY CONVEYOR

▶ Hytrol Skatewheel Conveyor

Gravity skatewheel conveyor is ideally used to convey light weight packages. It is useful in setting up temporary conveyor, shipping lanes in warehousing activities, shipping departments, assembly areas, etc. Skatewheel curves provide excellent package orientation.



STEEL SKATEWHEEL

MODEL	WxL	PRICE
3SW-18-16	18" x 5'	
3SW-18-16	18" x 10'	REQUEST
SWC-18-90	18" x 90°	A QUOTE!
3SW-24-20	24" x 5'	Visit
3SW-24-20	24" x 10'	rhbrown.com/go
SWC-24-90	24" x 90°	

ALUMINUM SKATEWHEEL

MODEL	WxL	PRICE
3AW-18-16	18" x 5'	
3AW-18-16	18" x 10'	
AWC-18-90	18" x 90°	Call us today!
3AW-24-20	24" x 5'	800-426-9806
3AW-24-20	24" x 10'	
AWC-24-90	24" x 90°	

▶ Hytrol Steel Roller Conveyor



1.9" diameter roller is ideally used to convey medium weight packages. They are useful in setting up temporary conveyor, shipping lanes in warehousing activities, shipping departments, assembly areas, etc.



STEEL ROLLER

for
ng.

ALUMINUM ROLLER

MODEL	WxL	PRICE
SAR-18-3	18" x 5'	Call for
SAR-18-3	18" x 10'	pricing.or
SARC-18-90-3	18" x 90°	request a
SAR-24-3	24" x 5'	quote at rhbrown.com/
SAR-24-3	24" x 10'	go
SARC-24-90-1-1/2	24" x 90°	90

▶ Hytrol Steel Roller Conveyor



2.5" diameter roller is ideally used for moving full pallets of product. They are useful in setting up temporary conveyor, shipping lanes in warehousing activities, shipping departments, assembly areas, etc.



1.9" DIA STEEL ROLLER SECTIONS

MODEL	WxL	PRICE
19GSR-15-3	18" x 5'	
19GSR-15-3	18" x 10'	
19GSRCT-15-90	18" x 90°	
19GSR-21-3	24" x 5'	
19GSR-21-3	24" x 10'	
19GSRCT-21-90	24" x 90°	

2.5" DIA STEEL ROLLER SECTIONS

MODEL	WxL	PRICE
25SR-13-3	16-1/4" x 5'	
25SR-13-3	16-1/4" x 5'	Consult with our
25SR-27-3	30-1/4" x 5'	engineers!
25SR-27-3	30-1/4" x 10'	Call today! 1-800-426-9806
25SR-47-3	50-1/4" x 5'	1-000-420-9000
25SR-47-3	50-1/4" x 10'	

▶ Hytrol Stationary Supports



FOR SKATEWHEEL & 1-3/8" DIA. MODELS

MODEL	RANGE	PRICE
LS-04	18 11/16" - 24 11/16"	
LS-05	22 11/16" - 28 11/16"	
LS-06	26 11/16 - 38 11/16"	

FOR 1.9" DIA. MODELS

MODEL	RANGE	PRICE
MS-04	19 3/8" - 25 3/8"	
MS-05	23 3/8" - 29 3/8"	
MS-06	27 3/8" - 39 3/8"	

▶ Hytrol Flexible Conveyor



A proven performer for trailer loading and unloading. Ideally suited for packaging, shipping and flexible assembly lines. Order optional leg connect brackets to lock units together.

- · Black Nylon Skatewheels
- · 200 lbs. Capacity per Lineal Foot
- 18" Overall Width
- · 6' Compacted Length
- · 24' Extended Length

ITEM	PRICE
FX200-18-24-ST-5	



POWER CONVEYOR

▶ Hytrol Belt Conveyor

Used in many types of material handling solutions such as assembly line operations, sorting, packing, and inspection.

- 65 FPM
- · End Drive
- · 460 Volt/3 Phase
- · 4" Diameter Pulleys
- 28"- 36" Elevation
- · Less Electrical Controls Unless Specified



OVERALL LENGTH	HP	8" W BELT 12" W BED	14" W BELT 18" W BED	20" W BELT 24" W BED			
11'-0"	1/2	_					
21'-0"	1/2	Speak with an engineer! Call 1-800-426-9806 or request information at rhbrown.com/go					
41'-0"	1/2						
51'-0"	1						
01'-11"	2						
Adjustable Channel Guard Rail (Both Sides) Add \$9.50 per Foot							

Hytrol Roller Conveyor

MODEL 190-ACC

The simplest method ever devised for accumulating cartons. boxes, etc. Basic design eliminates complicated adjustments and allows a minimum 2% back pressure.

- 65 FPM
- · End Drive
- · 460 Volt/3 Phase
- · 1.9" Diameter Rollers on 3" Centers
- 28"- 36" Elevation
- · Less Electrical Controls Unless Specified



OVERALL LENGTH	HP	15" BR 18" OAW	21" BR 24" OAW	27" BR 30" OAW
10'-0"	1/2	We offer warehouse design and consulting. Speak with our engineering team!		
20'-0"	1/2			
50'-0"	1			ng.
100'-0"	2			ıl.
90° Curve	1			1;
Adjustable Channel Guard Rail (Both Sides) Add \$9.50 per Foot				

	Hytrol	Incline	Conveyor	HYT
--	--------	---------	----------	-----

MODEL SBI

Equipped with an adjustable double nose-over at the discharge end to insure a smooth transfer from the incline to the horizontal plane. Inclines are easily adjusted up to 30 degrees. This conveyor can also be used as a

booster conveyor in gravity flow systems.

- 65 FPM
- · Center Drive
- · 460 Volt/3 Phase Brake Motor
- 28"- 36" Elevation
- · Less Electrical Controls Unless Specified



OVERALL LENGTH	HP	15" BR 18" OAW	21" BR 24" OAW	27" BR 30" OAW	
13'-10"	1	Email: info@rhbrown.com			
23'-10"	1				
33'-10"	2	Call: 1-800-426-9806 Visit: rhbrown.com/go			
41'-10"	2				
Adjustable Channel Guard Rail (Both Sides) available t					

	Hytrol Zero	Pressure	Accumulation	Conveyor	HYTROL
--	-------------	----------	--------------	----------	--------

MODEL ABEZ

Horizontal live roller conveyor, designed for applications that require accumulation of products without a buildup of line pressure. Singulation feature allows products to be easily removed from any location on conveyor.

- 65 FPM
- · Center Drive
- · 460 Volt/3 Phase
- · 110 Volt Power Supply
- 1.9" Diameter Rollers on 3" Centers
- 24" EZ Logic Accumulation Zones
- 28"-36" Elevation
- · Less Electrical Controls Unless Specified



OVERALL LENGTH	HP	15" BR 18" OAW	21" BR 24" OAW
12'-0"	1		
18'-0"	1	What are your production goals? We can help you achieve them. visit rhbrown.com/go	
22'-0"	1		
28'-0"	1		
72'-0"	1		
102'-0"	1	VISICIIII	biowii.com/go

▶ Hytrol E24i Conveyor

MODEL 190-E24EZ

This conveyor uses a series of 24 VDC motors to drive the tread rollers, eliminating the need for drive belts, chains, or line shafts. Quiet operation, zero pressure accumulation, and ease of maintenance and installation are just some of the advantages.

- 65 FPM
- 24" Zones
- 230 Volt/1 Phase
- · 28"-36" Elevation
- · Green Low Energy



OVERALL LENGTH	21" BR/24" OAW
10'-0"	
20'-0"	How can our most
30'-0"	popular conveyor
40'-0"	work for you? Let's talk! Call
50'-0"	1-800-246-9806
90 Deg	1-000-240-7000

Adjustable Channel Guard Rail (Both Sides) is available. · Less Electrical Controls Unless Specified

WE HELP CUSTOMERS FIND SOLUTIONS

- **▶ INCREASING THROUGHPUT**
- **▶ OPTIMIZING VERTICAL SPACE**
- ► MANAGING LABOR COSTS & MORE

MOVING MATERIALS?

WE OFFER SOLUTIONS FOR

- CONVEYOR SYSTEMS
- SORTATION
- PALLETIZING
- PALLET HANDLING
- WORK PLATFORMS
- STORAGE/ASRS
- WAREHOUSE AUTOMATION

CALL TODAY 800-426-9806

VISIT RHBROWN.COM/SYSTEMS

RH BROWN

MATERIAL HANDLING SOLUTIONS

Systems Integration
Storage Solutions
Warehouse Control Software

SERVICES /

PROJECT CONSULTATION
ENGINEERING | SYSTEMS DESIGN
PROJECT MANAGEMENT | MECHANICAL
ELECTRICAL | CONTROLS | INSTALLATION
FIELD SERVICE

SEE OUR PROJECTS /
YOUTUBE.COM/RHBROWNCO/VIDEOS







CUSTOMER STORIES

"RH Brown partnered with us on a project to provide custom designed casters. The solution RH Brown provided was a custom designed caster that met the project requirements and project schedule.

RH Brown was with us every step of the way. The patience, support and technical expertise provided to us by RH Brown is what places them into the league of most valuable partner."

- Douglas Ward, Mechanical Engineering Supervisor
Globe Machine Manufacturing

"R.H. Brown Co. and their staff have consistently achieved positive results and outstanding performance in meeting and exceeding the requirements and needs of North Coast Electric Company."

- Joy Wolff, Territory Operations Manager North Coast Electric Company

"RH Brown completed the installation of the a conveyor system in the warehouse while OLCC continued full operations. RH Brown carefully choreographed the work in a manner that allowed OLCC to meet demanding shipping schedules while doing their work side-by-side with us. RH Brown's crew and subcontractors exhibited exemplary safety standards as well as care and consideration of our facility and grounds. Often leaving an area in better condition than they found it!"

- Sharon Domaschofsky Oregon Liquor Control Commission

"We really enjoy the service that you and your team provide for us!"

- David Adam TekFab

"R.H. Brown Co. is a company that does not leave a job until the customer is 100% satisfied. They have been great to work with and when it comes down to it, they flat-out know how to make things work. We will continue to use them for all future product handling builds."

- Mikey Hanks, Operations Manager
Washington Fruit

SPEAK WITH AN EXPERT

800-426-9806

SEATTLE

12 S Idaho 206.624.3100

PORTLAND

5 NE Hancock 503.287.7028

AVAILABLE 24/7 AT RHBROWN.COM

GET TO KNOW US

- watch videos and see projects
 YOUTUBE.COM/RHBROWNCO
- get to know us
 FACEBOOK.COM/RHBROWNCO
- see us keep it short at
 TWITTER.COM/RHBROWNCO
- see solutions we love
 INSTAGRAM.COM/RHBROWNCO
- join our network
 LINKEDIN.COM/COMPANY/
 RHBROWNCO
- stay informed RHBROWN.COM/SUBSCRIBE




PRICING and MORE INFORMATION at RHBROWNONLINE.COM

BUILDING RELATIONSHIPS FOR OVER 110 YEARS | VISIT RHBROWN.COM

RH Brown designs, develops, installs and integrates conveyor systems, storage solutions, and software for all your material handling needs. Call us today at 1-800-426-9806.

Conveyor Systems



Sortation



Warehouse Control Software




Palletizing



Pallet Handling



Warehouse Automation




Pick Modules



Work Platforms



Storage Systems



SEATTLE 206.624.3100 • PORTLAND 503.287.7028